




SafetyShoe.com





SafetyShoe.com

109

VIBRAN SPORTY

259

HEXTEC ANKLE BOOT



Composite Toe Cap

Metal-free and light weight toecap with maximum safety.



Peace Sole™

Dr.OSHA Rubber-PU Sole equipped for maximum safety and comfort.



Flexible & Breathable Upper

Ultra light-weight flexible and premium TPU upper.

VIBRAN SPORTY

MODEL

2109

RUBBER SOLE



3109

PU SOLE



9109

PU-RUBBER SOLE



(S1)



UPPER: Hexagonal Reinforced TPU

LINING: Breathable Anti-Fungus Mesh

TOECAP: Composite

ANTI-PENETRATION: Kevlar or Steel

INSOLE: Premium Soft Arch Support

OUTSOLE: Rubber, PU, PU-Rubber

SIZE: 38 - 44 (UK: 4 - 10)



Available in black

HEXTEC ANKLE BOOT

MODEL

2259

RUBBER SOLE



3259

PU SOLE



9259

PU-RUBBER SOLE



(S1)



UPPER: Hexagonal Reinforced TPU

LINING: Breathable Anti-Fungus Mesh

TOECAP: Composite

ANTI-PENETRATION: Kevlar or Steel

INSOLE: Premium Soft Arch Support

OUTSOLE: Rubber, PU, PU-Rubber

SIZE: 38 - 44 (UK: 4 - 10)



S1

WOLFAR LACE-UP

MODEL

2107

RUBBER SOLE




3107

PU SOLE



9107

PU-RUBBER SOLE



UPPER: Flexible Fly Knit Material

LINING: Breathable Anti-Fungus Mesh

TOECAP: Composite

ANTI-PENETRATION: Kevlar or Steel

INSOLE: Premium Soft Arch Support

OUTSOLE: Rubber, PU, PU-Rubber

SIZE: 38 - 44 (UK: 4 - 10)



Available in Black



Ultra-Light Weight

A breathable and flexible upper combined with a composite toecap for maximum agility.

Retroreflective

Retroreflective stitches will illuminate in the dark.



Peace Sole™

Dr.OSHA's signature Rubber-PU Sole has been re-engineered to maximize comfort and safety.

S1

MAXIMA LACE-UP



MODEL

2167
RUBBER SOLE



3167
PU SOLE



9167
PU - RUBBER SOLE



(S1)



- UPPER:** Breathable Premium Textile
- LINING:** Breathable Anti-Fungus Mesh
- TOECAP:** Steel or Composite
- INSOLE:** Premium Soft Arch Support
- OUTSOLE:** Rubber, PU, or PU-Rubber
- SIZE:** 35 - 46 (UK: 1 - 12)
- ANTI-PENETRATION (Optional):** Kevlar or Steel

ALSO AVAILABLE IN:



! Retroreflective arch will illuminate in dark for maximum visibility and safety.

REFLEX

S1

AXIOM LACE-UP



MODEL

2168
RUBBER SOLE



3168
PU SOLE



9168
PU - RUBBER SOLE



(S2)



- UPPER:** 2.0mm Waterproof Leather
- LINING:** Breathable Anti-Fungus Mesh
- TOECAP:** Steel or Composite
- INSOLE:** Premium Soft Arch Support
- OUTSOLE:** Rubber, PU, or PU-Rubber
- SIZE:** 35 - 46 (UK: 1 - 12)
- ANTI-PENETRATION (Optional):** Kevlar or Steel

S2 **PARADISE LACE-UP**



MODEL

2171

RUBBER SOLE



3171

PU SOLE



9171

PU - RUBBER SOLE



- UPPER:** 2.0mm Waterproof Leather
- LINING:** Breathable Anti-Fungus Mesh
- TOECAP:** Steel or Composite
- INSOLE:** Premium Soft Arch Support
- OUTSOLE:** Rubber, PU, or PU-Rubber
- SIZE:** 35 - 46 (UK: 1 - 12)
- ANTI-PENETRATION (Optional):** Kevlar or Steel

ALSO AVAILABLE IN:



Ultra Light Composite Toe Cap! 200 J & 15000 N



Dr.OSHA PEACE SOLE®

S2 **PRISTINE ANKLE BOOT**



MODEL

2272

RUBBER SOLE



3272

PU SOLE



9272

PU - RUBBER SOLE




- UPPER:** 2.0mm Waterproof Leather
- LINING:** Breathable Anti-Fungus Mesh
- TOECAP:** Steel or Composite
- INSOLE:** Premium Soft Arch Support
- OUTSOLE:** Rubber, PU, or PU-Rubber
- SIZE:** 35 - 46 (UK: 1 - 12)
- ANTI-PENETRATION (Optional):** Kevlar or Steel

ALSO AVAILABLE IN:



Ultra Light Composite Toe Cap! 200 J & 15000 N



Pengaman Setia Anda Selalu Proteksi Anda.

S1

HYDRA SLIP-ON



MODEL

2153

RUBBER SOLE



3153

PU SOLE



9153

PU - RUBBER SOLE



UPPER: Black Suede Leather

LINING: Breathable Anti-Fungus Mesh

TOECAP: Steel or Composite

INSOLE: Premium Soft Arch Support

OUTSOLE: Rubber, PU, or PU-Rubber

SIZE: 35 - 46 (UK: 1 - 12)

ANTI-PENETRATION (Optional):
Kevlar or Steel

Safety first.
No matter how
much we innovate
new designs,
we will always comply
with international
safety standards.



STRONG

S1

FLORIDA SPORTY



MODEL

2159

RUBBER SOLE



3159

PU SOLE



9159

PU - RUBBER SOLE



UPPER: 2.0mm Heavy Duty Leather

LINING: Breathable Anti-Fungus Mesh

TOECAP: Steel or Composite, 200 J

ANTI-PENETRATION: Kevlar or Steel

INSOLE: Premium Soft Arch Support

OUTSOLE: Rubber, PU, or PU-Rubber

SIZE: 38 - 44 (UK: 4 - 10)

Safety first.
No matter how
much we innovate
new designs,
we will always comply
with international
safety standards.



S1

EXPANDER SLIP-ON



MODEL

2121

RUBBER SOLE



3121

PU SOLE



9121

PU - RUBBER SOLE



UPPER: 2.0mm Heavy Duty Leather

LINING: Breathable Anti-Fungus Mesh

TOECAP: Steel or Composite

INSOLE: Premium Soft Arch Support


OUTSOLE: Rubber, PU, or PU-Rubber

SIZE: 35 - 46 (UK: 1 - 12)

ANTI-PENETRATION (Optional):

Kevlar or Steel

Tersedia
juga Plat Anti
Paku dan Anti
Benda Tajam.



Plat Anti Paku

S1

ELDORADO LACE-UP



MODEL

2131

RUBBER SOLE



3131

PU SOLE



9131

PU - RUBBER SOLE



UPPER: 2.0mm Heavy Duty Leather

LINING: Breathable Anti-Fungus Mesh

TOECAP: Steel or Composite

INSOLE: Premium Soft Arch Support

OUTSOLE: Rubber, PU, or PU-Rubber

SIZE: 35 - 46 (UK: 1 - 12)

ANTI-PENETRATION (Optional):

Kevlar or Steel



Standar
Ketebalan Kulit
Dr.OSHA
minimum 2.0-2.2mm
Memberi Extra Proteksi
Kaki terhadap benda
Tajam dan benturan
berbahaya.

S1

ARIZONA SPORTY



MODEL

2179

RUBBER SOLE



3179

PU SOLE



9179

PU - RUBBER SOLE



UPPER: Gray Suede Leather

LINING: Breathable Anti-Fungus Mesh

TOECAP: Steel or Composite

INSOLE: Premium Soft Arch Support

OUTSOLE: Rubber, PU, or PU-Rubber

SIZE: 35 - 46 (UK: 1 - 12)

ANTI-PENETRATION (Optional):
Kevlar or Steel



S1

XANDAR LACE-UP



MODEL

2173

RUBBER SOLE



3173

PU SOLE



9173

PU - RUBBER SOLE



UPPER: Black Suede Leather

LINING: Breathable Anti-Fungus Mesh

TOECAP: Steel or Composite

INSOLE: Premium Soft Arch Support


OUTSOLE: Rubber, PU, or PU-Rubber

SIZE: 35 - 46 (UK: 1 - 12)

ANTI-PENETRATION (Optional):
Kevlar or Steel



COBRA ANKLE BOOT



ULTIMATE QUICK LACE SYSTEM

Achieve the perfect fit with our quick lacing system. Simply twist the rotary to tighten and secure your feet. Equipped with steel wires for lightweight, fast and flexible use.

MODEL

2269

RUBBER SOLE



3269

PU SOLE



9269

PU-RUBBER SOLE



UPPER: 2.0mm Premium Pull-Up Leather

LINING: Breathable Anti-Fungus Mesh

TOECAP: Composite

ANTI-PENETRATION: Kevlar or Steel

INSOLE: Premium Soft Arch Support

OUTSOLE: Rubber, PU, PU-Rubber

SIZE: 38 - 44 (UK: 4 - 10)



Available in Black



● Composite Toe Cap with Reinforced Bumper

● Outdoor Optimized Peace Sole™

VIPER LACE-UP



MODEL

2169

RUBBER SOLE



3169

PU SOLE



9169

PU-RUBBER SOLE



(S1)



UPPER: 2.0mm Premium Pull-Up Leather

LINING: Breathable Anti-Fungus Mesh

TOECAP: Composite

ANTI-PENETRATION: Kevlar or Steel

INSOLE: Premium Soft Arch Support

OUTSOLE: Rubber, PU, PU-Rubber

SIZE: 38 - 44 (UK: 4 - 10)

PYTHON BOOT

MODEL

2369

RUBBER SOLE



3369

PU SOLE



9369

PU-RUBBER SOLE



(S1)



UPPER: 2.0mm Premium Leather

LINING: Breathable Anti-Fungus Mesh

TOECAP: Composite

ANTI-PENETRATION: Kevlar or Steel

INSOLE: Premium Soft Arch Support

OUTSOLE: Rubber, PU, PU-Rubber

SIZE: 38 - 44 (UK: 4 - 10)



S3 **DELUXE ANKLE BOOT**



MODEL					
2239	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
RUBBER SOLE					
3239	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
PU SOLE					
9239	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
PU - RUBBER SOLE					
S3	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

UPPER: 2.0mm Waterproof Leather
LINING: Breathable Anti-Fungus Mesh
TOECAP: Steel or Composite
ANTI-PENETRATION: Kevlar or Steel
INSOLE: Premium Soft Arch Support
OUTSOLE: Rubber, PU, or PU-Rubber
SIZE: 35 - 46 (UK: 1 - 12)



METAL FREE

S3 **ELITE ANKLE BOOT**



MODEL					
2236	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
RUBBER SOLE					
3236	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
PU SOLE					
9236	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
PU - RUBBER SOLE					
S3	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

UPPER: 2.0mm Waterproof Leather
LINING: Breathable Anti-Fungus Mesh
TOECAP: Steel or Composite
ANTI-PENETRATION: Kevlar or Steel
INSOLE: Premium Soft Arch Support
OUTSOLE: Rubber, PU, or PU-Rubber
SIZE: 35 - 46 (UK: 1 - 12)

ALSO AVAILABLE IN:



Heavy Duty Reinforced Bump Cap



METAL FREE

S3

MAVERICK ANKLE BOOT



MODEL

2290

RUBBER SOLE



3290

PU SOLE



9290

PU - RUBBER SOLE



UPPER: 2.0mm Waterproof Leather

LINING: Breathable Anti-Fungus Mesh

TOECAP: Steel or Composite

ANTI-PENETRATION: Kevlar or Steel

INSOLE: Premium Soft Arch Support

OUTSOLE: Rubber, PU, or PU-Rubber

SIZE: 35 - 46 (UK: 1 - 12)



STRONG

S3

DELUXE TERRA ANKLE BOOT



MODEL

2230

RUBBER SOLE



3230

PU SOLE



9230

PU - RUBBER SOLE



UPPER: 2.0mm Waterproof Leather

LINING: Breathable Anti-Fungus Mesh

TOECAP: Steel or Composite

ANTI-PENETRATION: Kevlar or Steel

INSOLE: Premium Soft Arch Support

OUTSOLE: Rubber, PU, or PU-Rubber

SIZE: 35 - 46 (UK: 1 - 12)

ALSO AVAILABLE IN:



! Optional Retroreflective Back Strip

S1

MUSTANG BOOT



MODEL

2373

RUBBER SOLE



3373

PU SOLE



9373

PU - RUBBER SOLE



- UPPER:** Pull Up Heavy Duty Leather
- LINING:** Breathable Anti-Fungus Mesh
- TOECAP:** Steel or Composite
- INSOLE:** Premium Soft Arch Support
- OUTSOLE:** Rubber, PU, or PU-Rubber
- SIZE:** 35 - 46 (UK: 1 - 12)
- ANTI-PENETRATION (Optional):** Kevlar or Steel

Hanya Sole Rubber Dr.OSHA ada Sidewall dengan Direct-Vulkanisir untuk extra proteksi kaki terhadap benturan berbahaya.



SIDEWALL Direct-Vulkanisir



SafetyShoe.com

TYPE OUTSOLE Dr. OSHA

POLYURETHANE

Spesifikasi :

- Tahan Panas sampai 90° C
- Tahan terhadap Oli, Beberapa Larutan Asam & Kimia
- Flexibility : Stretchy & Flexible
- PU Color : Black Only
- Activity - Specific Features : Indoor Factory, Daily Casual Wear, Slip Resistance, Normal Condition

3###



NITRILE RUBBER

Spesifikasi :

- Tahan Panas sampai 300° C
- Tahan terhadap Oli, Alkali, Bensin, Berbagai Larutan Asam
- Flexibility : Stiff & Hard
- Rubber Color : Black Only
- Activity - Specific Features : Outdoor Factory, Slip Resistance, High Durability, Construction Worker, Extreme Condition, No Expiration

2###



NITRILE RUBBER - PU

Spesifikasi :

- Tahan Panas sampai 300° C
- Tahan terhadap Oli, Alkali, Bensin, Berbagai Larutan Asam
- Flexibility : Stiff & Flexible
- Nitrile Rubber Color : Black / Orange / Grey / Brown / Neon
- Activity - Specific Features : Outdoor Factory, Slip Resistance, High Durability, Construction Worker, Extreme Condition, No Expiration

9###



S1: Toe Cap Protection, Anti-Static properties, and Oil & Anti-Slip

S2: S1 + Waterproof

S3: S1 + Waterproof + Anti-Penetration



STEEL TOE CAP ANTI PENETRATION (SOLE OPTIONAL)



WATERPROOF S2 SAFETY STANDARD (OPTIONAL)



ANTI STATIC SOLE (OPTIONAL)



SLIP RESISTANT SOLE



STEEL/COMPOSITE TOE CAP



PUNCTURE GOLF TECHNOLOGY



Size Guide **Dr. OSHA**

SIZE	OUTSOLE			CM INSOLE
	RUBBER 2###	POLYURETHANE (PU) 3###	RUBBER-PU 9###	
1/35				23 CM
2/36				23.5 CM
3/37				24.5 CM
4/38				25 CM
5/39				25.5 CM
6/40				26.5 CM
7/41				27 CM
8/42				28 CM
9/43				28.5 CM
10/44				29 CM
11/45				30 CM
12/46				30.5 CM

SIZE GUIDE INFO

Jika baru melakukan pengukuran panjang kaki,
disarankan UPSIZE ukuran sepatu sebesar 0.5cm dari panjang aktual kaki.

Composite Protection Size: 37-46 | Steel Protection Size: 35-46



STANDARD & CODES

Ada empat kategori utama Standard EN untuk sepatu keselamatan yang diproduksi di Dr.OSHA. Tabel di sebelah kanan adalah kutipan dari EN ISO 20345 standar dan kode yang terkait dengan produk kami.

Kategori	Persyaratan
SB	Basic
S1	Basic + closed Seat Region + A + E
S2	Sama seperti S1 + WRU
S3	Sama seperti S1 + WRU + P

Legend			EN ISO 20345				
Tanda	Sebutan	Keterangan Perlindungan	SB	S1	S1-P	S2	S3
	SB	Steel Toe Cap untuk Menahan Beban 200 Joules dan Tekanan 15000 N	●	●	●	●	●
	OIL	Tahan Terhadap Minyak	●	●	●	●	●
	SR	Anti Slip	●	●	●	●	●
	P	Tahan terhadap Tekanan sampai 1100 N	○	○	●	○	●
	A	Tahan terhadap Listrik - Antistatic, minimum 100 KΩ, maximum 1000 MΩ	○	●	●	●	●
	WRU	Tahan Penetrasi dan Penyerapan Air	○	○	○	●	●
	E	Energy Absorption of Seat Region	○	●	●	●	●
	HRO	Tahan terhadap Panas	○	○	○	○	○

OUTSOLE

Untuk kinerja tinggi kami menyediakan berbagai macam sepatu keselamatan dengan cetakan langsung dengan 3 tipe sole sebagai berikut :

(I) SOL NITRILE RUBBER		
(II) SOL NITRILE RUBBER-PU		
>	Tahan Panas sampai 300°C	
>	Oli, Alkali, Asam dan Anti Slip	
>	Tahan terhadap beberapa Pelarut & Bahan Kimia	
>	Stainless Nail-Proof Midsole (Optional)	
(III) PU SOLES		
>	Tahan Panas Sampai 90°C	
>	Oil dan Anti Slip	
>	Tahan Beberapa Larutan dan Asam	
>	Tahan Hambatan Unsur Kimia	
>	Stainless Nail-Proof Midsole (Optional)	



Lab Testing Equipment



STANDAR KUALITAS INTERNASIONAL

Sepatu keselamatan Dr.OSHA diproduksi secara profesional sesuai dengan standar dan kode Eropa EN ISO 20345 dan Amerika ASTM F2413-18. Sepatu keselamatan Dr.OSHA dirancang ergonomis oleh seorang desainer sepatu keselamatan terkenal Italia untuk keselamatan, kesehatan, dan kenyamanan Anda. Untuk kualitas dan daya tahan, sepatu keselamatan Dr.OSHA dibuat dengan menggunakan teknologi Jerman yang paling maju DESMA mesin injeksi langsung dengan peralatan otomatisasi komputerisasi. Dr.OSHA menjamin produknya dan akan mengganti atau memperbaiki item yang rusak akibat proses produksi. Pengalaman kami yang handal dikombinasikan dengan baik dengan pengalaman Italia dan Jerman di bidang produksi sepatu keselamatan telah memungkinkan kami untuk menjadi salah satu produsen sepatu keamanan terkemuka di pasar. Dr.OSHA secara resmi terdaftar di Kantor Paten dan Merek Dagang Amerika Serikat.





SafetyShoe.com
Work In Peace

FOR OUR COMPLETE CATALOG
PLEASE VISIT US AT

WWW.SAFETYSHOE.COM

PT. OSHA ASIA

Distributed by:

