



SafetyShoe.com





SafetyShoe.com

REFLECTIVE SAFETY
FLASH TAB

REINFORCED TPU
HEEL SUPPORT

TPU PEACESOLE™ -
MAXIMUM GRIP WITH
EXTREME OIL &
ACID RESISTANCE

PU PEACESOLE™
MIDSOLE - ULTRA
CUSHION FOR
ALL-DAY COMFORT

SAME LEGACY NEW TECHNOLOGY

FOR OVER 20 YEARS, DR. OSHA HAS BUILT ITS NAME ON SAFETY FOOTWEAR THAT STANDS THE TEST OF TIME. A LONG HISTORY COMES WITH EXPERIENCE – KNOWING WHICH AREAS TO INNOVATE FORWARD AND WHICH TRADITIONS TO PRESERVE. OUR NEW GENERATION OF SHOES INTRODUCES A FULL SPECTRUM OF OUTSOLE SOLUTIONS AND ADVANCED UPPERS, ENGINEERED FOR DURABILITY, RESILIENCE, AND LASTING COMFORT. EACH PAIR UNITES PROVEN HERITAGE WITH MODERN DESIGN, DELIVERING CONFIDENCE AND PERFORMANCE ON EVERY STEP.



SafetyShoe.com

QUANTUM - ANKLE QUICK LACE < 275



OUTSOLE		S1	
2275 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3275 PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5275 PU/PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7275 TPU/PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9275 RUBBER-PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		S2	S3
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		Waterproof (Optional)	Anti-Penetration (Optional)

Upper	2.0mm Pull-Up Waterproof Leather
Lining	Breathable Anti-Fungus Mesh
Toecap	Composite or Steel
Anti - Penetration	Kevlar or Steel
Insole	OshaForm™ Comfort Foam
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU
Size	35 - 46 (UK: 3 - 12)



Achieve the perfect fit with our quick lacing system. Simply twist the rotary to tighten and secure your feet.

QUANTUM - ANKLE BOOT < 275




OUTSOLE		S1	
2275 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3275 PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5275 PU/PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7275 TPU/PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9275 RUBBER-PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		S2	S3
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		Waterproof (Optional)	Anti-Penetration (Optional)

Upper	2.0mm Pull-Up Waterproof Leather
Lining	Breathable Anti-Fungus Mesh
Toecap	Composite or Steel
Anti - Penetration	Kevlar or Steel
Insole	OshaForm™ Comfort Foam
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU
Size	35 - 46 (UK: 3 - 12)



PRESTIGE



205
OSHA RETRO
LACE UP

OUTSOLE		S1			
2205 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3205 PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5205 PU/PU SOLE	<input type="checkbox"/>	S2		S3	
7205 TPU/PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9205 PU - RUBBER SOLE	<input checked="" type="checkbox"/>	Waterproof (Optional)		Anti-Penetration (Optional)	
Upper	2.0mm Genuine Debossed Leather				
Lining	Breathable Anti-Fungus Mesh				
Toecap	Composite or Steel				
Anti - Penetration	Kevlar or Steel				
Insole	OshaForm™ Comfort Foam				
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU				
Size	35 - 46 (UK: 3 - 12)				



SafetyShoe.com

NEUTRON - QUICK LACE


276



Available In

OUTSOLE		S1	
2276 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3276 PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5276 PU/PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7276 TPU/PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9276 RUBBER-PU SOLE	<input checked="" type="checkbox"/>	S1 + P Anti-Penetration <small>(Optional)</small>	<input checked="" type="checkbox"/>

Upper	2.0mm Pull-Up Premium Leather
Lining	Breathable Anti-Fungus Mesh
Toecap	Composite or Steel
Anti - Penetration	Kevlar or Steel
Insole	OshaForm™ Comfort Foam
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU
Size	35 - 46 (UK 3 - 12)



Achieve the perfect fit with our quick lacing system. Simply twist the rotary to tighten and secure your feet.

PRESTIGE

PROTON - QUICK LACE


176



Available In

OUTSOLE		S1	
2176 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3176 PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5176 PU/PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7176 TPU/PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9176 RUBBER-PU SOLE	<input checked="" type="checkbox"/>	S1 + P Anti-Penetration <small>(Optional)</small>	<input checked="" type="checkbox"/>

Upper	2.0mm Pull-Up Premium Leather
Lining	Breathable Anti-Fungus Mesh
Toecap	Composite or Steel
Anti - Penetration	Kevlar or Steel
Insole	OshaForm™ Comfort Foam
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU
Size	35 - 46 (UK 3 - 12)



Achieve the perfect fit with our quick lacing system. Simply twist the rotary to tighten and secure your feet.



SafetyShoe.com



217

VULTURE

ANKLE BOOT

117

FALCON

LACE UP



OUTSOLE		S1		Upper	Multi-Layer TPU Hybrid
2117 & 2217 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Lining	Breathable Anti-Fungus Mesh
3117 & 3217 PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Toecap	Composite or Steel
5117 & 5217 PU/PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Anti - Penetration	Kevlar or Steel
7117 & 7217 TPU/PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Insole	OshaForm™ Comfort Foam
9117 & 9217 RUBBER-PU SOLE	<input checked="" type="checkbox"/>	S1 + P Anti-Penetration (Optional)		Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU
				Size	35 - 46 (UK: 3 - 12)



SafetyShoe.com



186

RAVEN
SLIP ON

112

RAVEN
LACE UP



OUTSOLE		S1	
2112 & 2186 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>  <input checked="" type="checkbox"/>  <input checked="" type="checkbox"/> 	Upper 2.0mm Premium Suede Leather
3112 & 3186 PU SOLE	<input type="checkbox"/>	<input type="checkbox"/>  <input type="checkbox"/>  <input type="checkbox"/> 	Lining Breathable Anti-Fungus Mesh
5112 & 5186 PU/PU SOLE	<input type="checkbox"/>	<input type="checkbox"/>  <input type="checkbox"/>  <input type="checkbox"/> 	Toecap Composite or Steel
7112 & 7186 TPU/PU SOLE	<input checked="" type="checkbox"/>	<input type="checkbox"/>  <input type="checkbox"/>  <input type="checkbox"/> 	Anti - Penetration Kevlar or Steel
9112 & 9186 RUBBER-PU SOLE	<input checked="" type="checkbox"/>	<input type="checkbox"/>  <input type="checkbox"/>  <input type="checkbox"/> 	Insole OshaForm™ Comfort Foam
		S1 + P Anti-Penetration <small>(Optional)</small>	Outsole Rubber-PU, TPU-PU, PU-PU, Rubber, PU
			Size 35 - 46 (UK: 3 - 12)
			 Retroreflective side tab on a smooth all black upper for contrast and safety.



SafetyShoe.com

244

EVEREST

ANKLE BOOT



144

RINJANI

LACE UP



OUTSOLE		S1	S2 Waterproof (Optional)	S3 Anti-Penetration (Optional)	Upper	High Tensile Reinforced Grid with Pull-Up Leather
2144 & 2244 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Lining	Breathable Anti-Fungus Mesh
3144 & 3244 PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Toecap	Composite or Steel
5144 & 5244 PU/PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Anti - Penetration	Kevlar or Steel
7144 & 7244 TPU/PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Insole	OshaForm™ Comfort Foam
9144 & 9244 RUBBER-PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU
					Size	35 - 46 (UK: 3 - 12)
						High tensile, abrasion resistant, and rip-resistant mesh layered with a breathable lining.



SafetyShoe.com

231

MARATHON

ANKLE LACE

123

SPRINTER

LACE UP



OUTSOLE	
2123 & 2231 RUBBER SOLE	<input checked="" type="checkbox"/>
3123 & 3231 PU SOLE	<input type="checkbox"/>
5123 & 5231 PU/PU SOLE	<input type="checkbox"/>
7123 & 7231 TPU/PU SOLE	<input checked="" type="checkbox"/>
9123 & 9231 RUBBER-PU SOLE	<input checked="" type="checkbox"/>

S1	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
S1 + P Anti-Penetration (Optional)	<input checked="" type="checkbox"/>

Upper	TPU Structure with Flexible Light Mesh
Lining	Breathable Anti-Fungus Mesh
Toecap	Composite or Steel
Anti - Penetration	Kevlar or Steel
Insole	OshaForm™ Comfort Foam
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU
Size	35 - 46 (UK: 3 - 12)
	Lightweight TPU mesh fit for high movement activities without sacrificing safety.

263

HOUSTON - QUICK LACE



OUTSOLE		S1	
2263 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3263 PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5263 PU/PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7263 TPU/PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9263 RUBBER-PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		S2	S3
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		Waterproof (Optional)	Anti-Penetration (Optional)

Upper	2.0mm Pull-Up Waterproof Leather
Lining	Breathable Anti-Fungus Mesh
Toecap	Composite or Steel
Anti - Penetration	Kevlar or Steel
Insole	OshaForm™ Comfort Foam
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU
Size	35 - 46 (UK: 3 - 12)

	Achieve the perfect fit with our quick lacing system. Simply twist the rotary to tighten and secure your feet.	Available In
--	--	-------------------------

215

THORIN - MID ZIP



OUTSOLE		S1	
2215 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3215 PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5215 PU/PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7215 TPU/PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9215 RUBBER-PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		S2	S3
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		Waterproof (Optional)	Anti-Penetration (Optional)

Upper	2.0mm Premium Grain Leather
Lining	Breathable Anti-Fungus Mesh
Toecap	Composite or Steel
Anti - Penetration	Kevlar or Steel
Insole	OshaForm™ Comfort Foam
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU
Size	35 - 46 (UK: 3 - 12)

	Reinforced TPR Heel Counter for maximum stability and support.	Available In
--	--	-------------------------



SafetyShoe.com

TERRA - ANKLE BOOT 230



OUTSOLE		S1	
2230 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3230 PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5230 PU/PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7230 TPU/PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9230 RUBBER-PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		S2	S3
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		Waterproof (Optional)	Anti-Penetration (Optional)

Upper	2.0mm Pull-Up Waterproof Leather
Lining	Breathable Anti-Fungus Mesh
Toecap	Composite or Steel
Anti - Penetration	Kevlar or Steel
Insole	OshaForm™ Comfort Foam
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU
Size	35 - 46 (UK: 3 - 12)

	Retroreflective back tab illuminates in light for maximum visibility and safety.	Available In

Available In



PRESTIGE

MAVERICK 290



OUTSOLE		S1	
2290 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3290 PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5290 PU/PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7### TPU/PU	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9### RUBBER-PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		S2	S3
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		Waterproof (Optional)	Anti-Penetration (Optional)

Upper	2.0mm Nubuck Waterproof Leather
Lining	Breathable Anti-Fungus Mesh
Toecap	Composite or Steel
Anti - Penetration	Kevlar or Steel
Insole	OshaForm™ Comfort Foam
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU
Size	35 - 46 (UK: 3 - 12)

	Double Density TPU-PU Outsole with ultra cushion and strong and traction.	Available In

227

APEX - ANKLE BOOT



Available In



OUTSOLE		S1	
2227 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3227 PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5227 PU/PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7227 TPU/PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9227 RUBBER-PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		S2	S3
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		Waterproof (Optional)	Anti-Penetration (Optional)

Upper	2.0mm Premium Waterproof Leather
Lining	Breathable Anti-Fungus Mesh
Toecap	Composite or Steel
Anti - Penetration	Kevlar or Steel
Insole	OshaForm™ Comfort Foam
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU
Size	35 - 46 (UK: 3 - 12)
Available In	

227

APEX - ANKLE ZIP



Available In



OUTSOLE		S1	
2227 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3227 PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5227 PU/PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7227 TPU/PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9227 RUBBER-PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		S2	S3
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		Waterproof (Optional)	Anti-Penetration (Optional)

Upper	2.0mm Premium Waterproof Leather
Lining	Breathable Anti-Fungus Mesh
Toecap	Composite or Steel
Anti - Penetration	Kevlar or Steel
Insole	OshaForm™ Comfort Foam
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU
Size	35 - 46 (UK: 3 - 12)

	Zipper combined with elastic for easy access and stretchy comfort.	Available In	
--	--	---------------------	--



SafetyShoe.com

VANGUARD - BOOT

315



OUTSOLE		S1	
2315 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3315 PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5315 PU/PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7315 TPU/PUSOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9315 RUBBER-PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		S2	S3
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		Waterproof (Optional)	Anti-Penetration (Optional)

Upper	2.0mm Premium Grain Leather
Lining	Breathable Anti-Fungus Mesh
Toecap	Composite or Steel
Anti - Penetration	Kevlar or Steel
Insole	OshaForm™ Comfort Foam
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU
Size	35 - 46 (UK: 3 - 12)

Available In	
---------------------	--

BISON - BOOT

355



OUTSOLE		S1	
2355 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3355 PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5355 PU/PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7355 TPU/PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9355 RUBBER-PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		S2	S3
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		Waterproof (Optional)	Anti-Penetration (Optional)

Upper	2.0mm Premium Grain Leather
Lining	Breathable Anti-Fungus Mesh
Toecap	Composite or Steel
Anti - Penetration	Kevlar or Steel
Insole	OshaForm™ Comfort Foam
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU
Size	35 - 46 (UK: 3 - 12)

	Anti Penetration Kevlar Midsole Lighter than Steel.
--	--

PRESTIGE



SafetyShoe.com

150

MARTIAN SLIP ON

140

MARTIAN LACE UP



OUTSOLE



2140 & 2150
RUBBER SOLE



3140 & 3150
PU SOLE



5140 & 5150
PU/PU SOLE




7140 & 7150
TPU/PU SOLE



9140 & 9150
RUBBER-PU SOLE



S1



S1 + P

Anti-Penetration
(Optional)



S2

Waterproof
(Optional)



S3

Anti-Penetration
(Optional)



Upper	Breathable Light-flex Microfiber
Lining	Breathable Anti-Fungus Mesh
Toecap	Composite or Steel
Anti - Penetration	Kevlar or Steel
Insole	OshaForm™ Comfort Foam
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU
Size	35 - 46 (UK: 3 - 12)
	Airflow holes boost breathability allow for ventilation for all day freshness.



SafetyShoe.com

118

ARTEMIS LACE UP

119

APOLLO SLIP ON



OUTSOLE	
2118 & 2119 RUBBER SOLE	<input checked="" type="checkbox"/>
3118 & 3119 PU SOLE	<input type="checkbox"/>
5118 & 5119 PU/PU SOLE	<input type="checkbox"/>
7118 & 7119 TPU/PU SOLE	<input checked="" type="checkbox"/>
9118 & 9119 RUBBER-PU SOLE	<input checked="" type="checkbox"/>

S1
<input checked="" type="checkbox"/>  <input checked="" type="checkbox"/>  <input checked="" type="checkbox"/> 
<input checked="" type="checkbox"/>  <input checked="" type="checkbox"/>  <input checked="" type="checkbox"/> 
S1 + P Anti-Penetration (Optional) <input checked="" type="checkbox"/> 

Upper	Flexible Fly Knit Material
Lining	Breathable Anti-Fungus Mesh
Toecap	Composite or Steel
Anti - Penetration	Kevlar or Steel
Insole	OshaForm™ Comfort Foam
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU
Size	35 - 46 (UK: 3 - 12)
	Ultra lightweight fly knit fabric with super breathability perfect for casual wear.

115

ALASKA - SLIP ON



OUTSOLE		S1	
2115 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3115 PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5115 PU/PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7115 TPU/PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9115 RUBBER-PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		S2	S3
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		Waterproof (Optional)	Anti-Penetration (Optional)
Upper	2.0mm Premium Leather		
Lining	Breathable Anti-Fungus Mesh		
Toecap	Composite or Steel		
Anti - Penetration	Kevlar or Steel		
Insole	OshaForm™ Comfort Foam		
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU		
Size	35 - 46 (UK: 3 - 12)		
	Special light density PU Midsole for all day comfort available to be paired with full outsole range.	Available In 	

179

ARIZONA - SPORT



OUTSOLE		S1	
2179 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3179 PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5179 PU/PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7179 TPU/PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9179 RUBBER-PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		S1 + P	<input checked="" type="checkbox"/>
		Anti-Penetration (Optional)	
Upper	2.0mm Pull-Up Waterproof Leather		
Lining	Breathable Anti-Fungus Mesh		
Toecap	Composite or Steel		
Anti - Penetration	Kevlar or Steel		
Insole	OshaForm™ Comfort Foam		
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU		
Size	35 - 46 (UK 3 - 12)		
	Special light density PU Midsole for all day comfort available to be paired with full outsole range.	Available In 	



SafetyShoe.com


MATRIX - LACE UP

141



OUTSOLE		S1	
2141 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3141 PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5141 PU/PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7141 TPU/PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9141 RUBBER-PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		S2	S3
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		Waterproof <small>(Optional)</small>	Anti-Penetration <small>(Optional)</small>

Upper	High Tensile Reinforced Grid Mesh
Lining	Breathable Anti-Fungus Mesh
Toecap	Composite or Steel
Anti - Penetration	Kevlar or Steel
Insole	OshaForm™ Comfort Foam
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU
Size	35 - 46 (UK: 3 - 12)





DAHLIA - SLIP ON

166



OUTSOLE		S1	
2166 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3166 PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5166 PU/PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7166 TPU/PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9166 RUBBER-PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		S1 + P	<input checked="" type="checkbox"/>
		Anti-Penetration <small>(Optional)</small>	

Upper	2.0mm Leather with Comfort Mesh Collar
Lining	Breathable Anti-Fungus Mesh
Toecap	Composite or Steel
Anti - Penetration	Kevlar or Steel
Insole	OshaForm™ Comfort Foam
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU
Size	35 - 46 (UK 3 - 12)





SafetyShoe.com

327

TITAN - BOOT





OUTSOLE		S1	
2327 RUBBER SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3327 PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5327 PU/PU SOLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7327 TPU/PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9327 RUBBER-PU SOLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		S2	S3
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		Waterproof (Optional)	Anti-Penetration (Optional)

Upper	2.0mm Waterproof Pull-Up Leather
Lining	Breathable Anti-Fungus Mesh
Toecap	Composite or Steel
Anti - Penetration	Kevlar or Steel
Insole	OshaForm™ Comfort Foam
Outsole	Rubber-PU, TPU-PU, PU-PU, Rubber, PU
Size	35 - 46 (UK: 3 - 12)

















Anti Penetration Kevlar Midsole
Lighter than Steel.

INTERNATIONAL CERTIFICATIONS



<p>Ada empat kategori utama Standard EN untuk sepatu keselamatan yang diproduksi di Dr.OSHA. Tabel di sebelah kanan adalah kutipan dari EN ISO 20345 standar dan kode yang terkait dengan produk kami.</p>	TABLE 1.0 - KATEGORI SEPATU KESELAMATAN	
	Kategori	Persyaratan
	SB	Basic
	S1	Basic + closed Seat Region + A + E
	S2	Sama seperti S1 + WRU
S3	Sama seperti S1 + WRU + P	

TABLE 2.0 - MATRIX DARI KATEGORI SEPATU KESELAMATAN			EN ISO 20345				
Legend		Keterangan Perlindungan					
Tanda	Sebutan		SB	S1	S1-P	S2	S3
	SB	Steel Toe Cap untuk Menahan Beban 200 Joules dan Tekanan 15000 N	●	●	●	●	●
	OIL	Tahan Terhadap Minyak	●	●	●	●	●
	SR	Anti Slip	●	●	●	●	●
	P	Tahan terhadap Tekanan sampai 1100 N	○	○	●	○	●
	A	Tahan terhadap Listrik - Antistatic, minimum 100 KΩ, maximum 1000 MΩ	○	●	●	●	●
	WRU	Tahan Penetrasi dan Penyerapan Air	○	○	○	●	●
	E	Energy Absorption of Seat Region	○	●	●	●	●
	M	Extra protection for the upper foot against impact	●	●	●	●	●
	HRO	Tahan terhadap Panas	○	○	○	○	○

PU (3)	PU - PU (5)	TPU - PU (7)	RUBBER (2)	RU-PU (9)
				
Polyurethane Direct Injection	Double Density Polyurethane	Thermoplastic Polyurethane with Polyurethane Midsole	Vulcanized Rubber	Rubber Outsole with Polyurethane Midsole
• Heat Resistance up to 100°C	• Heat Resistance up to 100°C	• Heat Resistance up to 130°C	• Heat Resistance up to 300°C	• Heat Resistance up to 300°C
• Oil resistance moderate resistance to acids and chemicals	• Oil resistance, moderate resistance to acids and chemicals	• Great Oil resistance, moderate resistance to acids and chemicals	• Excellent oil resistance, excellent resistance to chemicals, alkalis and acid	• Excellent oil resistance, excellent resistance to chemicals, alkalis and acid
• Lightweight, great cushion and flexibility	• Extremely lightweight, excellent shock absorption and flexibility	• Lightweight, excellent shock absorption and flexibility	• Medium weight and flexibility	• Lightweight weight, excellent shock absorption and flexibility
• Good longevity in normal working conditions	• Good longevity in normal working conditions	• Good longevity in extreme conditions	• Excellent longevity in extreme conditions	• Excellent longevity in extreme conditions
• Antistatic and Anti-penetration (Optional)	• Antistatic and Anti-penetration (Optional)	• Antistatic and Anti-penetration (Optional)	• Antistatic and Anti-penetration (Optional)	• Antistatic and Anti-penetration (Optional)



SafetyShoe.com
Work In Peace

FOR OUR COMPLETE CATALOG
PLEASE VISIT US AT
WWW.SAFETYSHOE.COM

PT. OSHA ASIA

Distributed by:

